



CORRENTES PASSO LONGO COM ADICIONAL A-1 e K-1



CORRENTE PASSO LONGO ADICIONAL A-1 e K-1

REFERÊNCIA	PASSO		ENTRE	Ø	Ø	Ø	ALTURA	ESPESSURA	LARGURA	LARGURA	LARGURA	ALTURA	CARGA
ASTC	POL / mm		PLACAS	ROLO	PINO	FURO ABA	PLACA	PLACAS	TOTAL	DA ABA	TRANSVERSAL	CENTRO BASE	RUPTURA
ASA/ANSI	P		EP	R	D	F	H	T	LI	M	C	G	Kgf
ASTC-C-2040	1"	25,40	7,94	7,94	3,96	3,60	12	1,5	16,4	19,1	12,7	9,1	1.700
ASTC-C-2042				15,88									
ASTC-C-2050	1.1/4"	31,75	9,53	10,16	5,08	5,50	15	2	20,3	23,8	15,9	11,1	2.800
ASTC-C-2052				19,05									
ASTC-C-2060H	1.1/2"	38,10	12,7	11,91	5,94	6,60	18	3,2	30,5	28,6	21,45	14,7	4.100
ASTC-C-2062H				22,2									
ASTC-C-2080H	2"	50,80	15,88	15,88	7,92	6,80	24	4	36,88	38,1	27,8	19,1	7.000
ASTC-C-2082H				28,58									
ASTC-C-2100H	2.1/2"	63,50	19,05	19,05	9,53	9,20	30	4,8	43,25	47,5	33,35	23,4	11.000
ASTC-C-2102H				39,68									
ASTC-C-2120H	3"	76,20	25,4	22,22	11,11	11,00	36,2	4,8 / 6,35	54	57,2	39,7	27,8	15.400
ASTC-C-2122H				44,45									
ASTC-C-2160H	4"	101,60	31,75	28,58	14,29	13,10	48	6,35 / 8,0	67	76,2	52,4	36,5	26.200
ASTC-C-2162H				57,15									


CORRENTES PASSO LONGO COM ADICIONAL A-2 e K-2



CORRENTE PASSO LONGO ADICIONAL A-2 e K-2

REFERÊNCIA	PASSO		ENTRE	Ø	Ø	Ø	ALTURA	ESPESSURA	LARGURA	LARGURA	LARGURA	PASSO	ALTURA	CARGA
ASTC	POL / mm		PLACAS	ROLO	PINO	FURO ABA	PLACA	PLACAS	TOTAL	DA ABA	TRANSVERSAL	DO FURO	CENTRO BASE	RUPTURA
ASA/ANSI	P		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	Kgf
ASTC-C-2040	1"	25,40	7,94	7,94	3,96	3,60	12	1,5	16,4	19,1	12,7	9,5	9,1	1.700
ASTC-C-2042				15,88										
ASTC-C-2050	1.1/4"	31,75	9,53	10,16	5,08	5,50	15	2	20,3	23,8	15,9	11,9	11,1	2.800
ASTC-C-2052				19,05										
ASTC-C-2060H	1.1/2"	38,10	12,7	11,91	5,94	6,60	18	3,2	30,5	28,6	21,45	14,5	14,7	4.100
ASTC-C-2062H				22,2										
ASTC-C-2080H	2"	50,80	15,88	15,88	7,92	6,80	24	4	36,88	38,1	27,8	19,2	19,1	7.000
ASTC-C-2082H				28,58										
ASTC-C-2100H	2.1/2"	63,50	19,05	19,05	9,53	9,20	30	4,8	43,25	47,5	33,35	23,8	23,4	11.000
ASTC-C-2102H				39,68										
ASTC-C-2120H	3"	76,20	25,4	22,22	11,11	11,00	36,2	4,8 / 6,35	54	57,2	39,7	28,6	27,8	15.400
ASTC-C-2122H				44,45										
ASTC-C-2160H	4"	101,60	31,75	28,58	14,29	13,10	48	6,35 / 8,0	67	76,2	52,4	38,2	36,5	26.200
ASTC-C-2162H				57,15										


CORRENTES PASSO LONGO COM ADICIONAL SA-1 e SK-1



CORRENTE PASSO LONGO ADICIONAL SA-1 e SK-1

REFERÊNCIA ASTC	PASSO POL / mm		ENTRE PLACAS mm	Ø ROLO mm	Ø PINO mm	Ø FURO ABA mm	ALTURA PLACA mm	ESPESSURA PLACAS mm	LARGURA TOTAL mm	LARGURA DA ABA mm	ALTURA CENTRO BASE mm	CARGA RUPTURA Kg
ASA/ANSI	P		EP	R	D	F	H	T	L	M	G	
ASTC-C-2040	1"	25,40	7,94	7,94	3,96	3,60	12	1,5	16,4	19,1	9,1	1.700
ASTC-C-2042				15,88								
ASTC-C-2050	1.1/4"	31,75	9,53	10,16	5,08	5,50	15	2	20,3	23,8	11,1	2.800
ASTC-C-2052				19,05								
ASTC-C-2060H	1.1/2"	38,10	12,7	11,91	5,94	6,60	18	3,2	30,5	28,6	14,7	4.100
ASTC-C-2062H				22,2								
ASTC-C-2080H	2"	50,80	15,88	15,88	7,92	6,80	24	4	36,88	38,1	19,1	7.000
ASTC-C-2082H				28,58								
ASTC-C-2100H	2.1/2"	63,50	19,05	19,05	9,53	9,20	30	4,8	43,25	47,5	23,4	11.000
ASTC-C-2102H				39,68								
ASTC-C-2120H	3"	76,20	25,4	22,22	11,11	11,00	36,2	4,8 / 6,35	54	57,2	27,8	15.400
ASTC-C-2122H				44,45								
ASTC-C-2160H	4"	101,60	31,75	28,58	14,29	13,10	48	6,35 / 8,0	67	76,2	36,5	26.200
ASTC-C-2162H				57,15								

CORRENTES PASSO LONGO COM ADICIONAL SA-2 e SK-2



CORRENTE PASSO LONGO ADICIONAL SA-2 e SK-2

REFERÊNCIA	PASSO		ENTRE	Ø	Ø	Ø	ALTURA	ESPESSURA	LARGURA	LARGURA	PASSO	ALTURA	CARGA
ASTC	POL / mm		PLACAS	ROLO	PINO	FURO ABA	PLACA	PLACAS	TOTAL	DA ABA	DO FURO	CENTRO BASE	RUPTURA
ASA/ANSI	P		EP	R	D	F	H	T	L	M	PF	G	Kgf
ASTC-C-2040	1"	25,40	7,94	7,94	3,96	3,60	12	1,5	16,4	19,1	9,5	9,1	1.700
ASTC-C-2042				15,88									
ASTC-C-2050	1.1/4"	31,75	9,53	10,16	5,08	5,50	15	2	20,3	23,8	11,9	11,1	2.800
ASTC-C-2052				19,05									
ASTC-C-2060H	1.1/2"	38,10	12,7	11,91	5,94	6,60	18	3,2	30,5	28,6	14,5	14,7	4.100
ASTC-C-2062H				22,2									
ASTC-C-2080H	2"	50,80	15,88	15,88	7,92	6,80	24	4	36,88	38,1	19,2	19,1	7.000
ASTC-C-2082H				28,58									
ASTC-C-2100H	2.1/2"	63,50	19,05	19,05	9,53	9,20	30	4,8	43,25	47,5	23,8	23,4	11.000
ASTC-C-2102H				39,68									
ASTC-C-2120H	3"	76,20	25,4	22,22	11,11	11,00	36,2	4,8 / 6,35	54	57,2	28,6	27,8	15.400
ASTC-C-2122H				44,45									
ASTC-C-2160H	4"	101,60	31,75	28,58	14,29	13,10	48	6,35 / 8,0	67	76,2	38,2	36,5	26.200
ASTC-C-2162H				57,15									